

# Synergy 3™

Consoles



watson

# Synergy 3™ Consoles

Empower your emergency response personnel to perform at their peak with the console system designed and built with the dispatcher in mind. Synergy™ consoles from Watson Dispatch combine advanced ergonomics, unmatched structural quality, superior technology integration, and the industry's best warranty into a package that delivers outstanding return on investment.

## Designed to Perform With Your People in Mind

Synergy consoles were designed from the ground up to withstand a decade or more of 24/7 use in the rigorous environments of emergency-response centers. Console positions feature rigid, unified-frame construction, integrated technology cavities, heavy-duty extruded aluminum frame, and ergonomically designed height-adjustable platforms stress-tested to 40,000 duty cycles.

## Putting the User in Control

Watson Dispatch's Total Comfort System™ places command of console adjustment at a user's fingertip. A single device containing height adjustment, task lighting adjustment, mobile airflow and radiant heat controls can be positioned anywhere on the worksurface. Precision instrumentation provides a digital readout on surface height so multiple users can quickly adjust to their preferred positions. The patented microprocessor-based system provides full up/down switching for ADA compliance, instant maintenance access, and offers energy savings with an optional infrared activity sensor (sleep mode).

## The Ergonomic Answer


Synergy consoles are purpose-built for 24/7 365 applications. Consoles surpass the latest ergonomic standard (ANSI/HFES 100-2007), comfortably accommodating the 5th to 95th percentile of male and female users. The monitor and keyboard surfaces feature soft, rounded edges and can be equipped with an optional (focal) depth adjustment assembly for simultaneous adjustment of all monitors. Consoles are engineered for user safety, encompassing mechanical and electronic features to ensure accident free operation.



**Watson's Total Comfort System** is a single point interface for height adjustment, airflow, heating, and lighting adjustment.




**Synergy 3 Consoles** are available in three configurations (from left to right) Linear, Full Lift and Center Lift, to meet broadly ranging architectural, mission and budget requirements.




## Technology Integration

Easy access for technology support is built into Synergy consoles with fixed, lockable technology cavities featuring ample room for multiple CPU storage. Front and rear doors ease maintenance access to minimize operator disruption during equipment service and repair. Technology and power integration are accomplished with multiple electrical J-Box mounting points, three 8-outlet power strips, and six raised floor access points.



### Height Adjustability

Integrated primary and input platforms provide full leg clearance beneath the keyboard and the ability to simultaneously lift both platforms, maintaining exact positioning relationships when shifting between seated and standing positions.



### A Visible Difference

The transparent upper segments of the Synergy 3 console provide enhanced visibility between telecommunicators. Segments are field reconfigurable. Optional tackable segments add privacy and functionality.



### User Organization Tools

Synergy 3 improves the usable surface area by organizing work tools along the console's horizontal framework.



### Improved Technology Access

Techlink™ provides easy user connectivity at the work surface for up to 10 input devices, like keyboard and mouse. Wire management is conveniently organized at the rear for tech-access. Techlink is fully compatible with all Synergy consoles.



### Cable Management

The Vertical Energy Chain connects to the underside of the work surface cavities directing cables from CPUs to surface area ports.



### Simple and Efficient Cabling Routing

Horizontal wire management is accomplished through the use of cable trays and wire management cleats mounted to the underside of the worksurface, making the task of managing cables simple for technicians and operators.

## Overview

Synergy 3 represents Watson's premier console line incorporating our signature unified frame construction and front and rear technology access. Synergy 3 consoles introduce a segmented design that offers a new and distinctive array of material options: durable laminates for lower segments and transparent and/or fabric choices for upper segments. Available in Center Lift, Full Lift and Linear configurations, Synergy 3 consoles provide the most comprehensive solution to meet the demands of both facility and user.



## Features


- Three configurations; Linear, Center Lift and Full Lift consoles
- Fixed & adjustable height surfaces
- Field reconfigurable segmented design, available in five heights with transparent/tackable fabric upper segments
- Single Point Interface controls airflow, heating and lighting with mobile & scalable fan positioning
- Tools such as personal whiteboards, swivel-to-stow cup holders, paper trays, phone trays, CD trays and binder trays (pictured below)
- Anti-collision safety feature under primary surface senses obstructions and reverses it's travel path
- Locking perforated zero clearance rear access doors provide passive airflow to equipment
- Standard rear access with 8 power outlets per cavity and optional cavity illumination and filtered cavity fans
- Hard surface laminate ends for greater durability
- Primary surface height adjustment range: 27 to 52-inches
- Input platform height adjustment: 22 to 57-inches



Whiteboard




Cup Holder



Paper Tray



Phone Tray



CD Tray



Binder Tray